

BIBLIOGRAPHY OF 112 STUDIES SHOWING THE ABORTION/SUBSEQUENT PRETERM BIRTH ASSOCIATION

1960s

1 Barsy G, Sarkany J. Impact of induced abortion on the birth rate and infant mortality. *Demografia* 1963;6:427-467.

2 Miltenyi K. On the effects of induced abortion. *Demografia* 1964;7:73-87.

3 Furusawa Y, Koya Y. The Influence of artificial abortion on delivery. In: Koya Y, ed. Harmful effects of induced abortion. Tokyo: Family Planning Federation of Japan, 1966:74-83.

4 Arvay A, Gorgey M, Kapu L. La relation entre les avortements (interruptions de la grossesse) et les accouchements prématurés. *Rev Fr Gynecol Obstet* 1967;62:81-86

1970s

5 Drac P, Nekvasilova Z. Premature termination of pregnancy after previous interruption of pregnancy. *Cesk Gynekol* 1970;35:332-333.

6 Dolezal A, Andrasova V, Tittlbachova S, et al. Interruption of pregnancy and their relation to premature labour and hydropic fetuses. *Cesk Gynekol* 1970;36:331

7 Pantelakis SN, Papadimitriou GC, Doxiadis SA. Influence of induced and spontaneous abortions on the outcome of subsequent pregnancies. *Amer J Obstet Gynecol.* 1973;116:799-805.

!!8 Van Der Slikke JW, Treffers PE. Influence of induced abortion on gestational duration in subsequent pregnancies. *BMJ* 1978;1:270-272 [$>95\%$ confident of preterm risk for gestation less than 32.0 weeks].

9 Richardson JA, Dixon G. Effect of legal termination on subsequent pregnancy. *British Med J* 1976;1:1303-1304.

+10 Papaevangelou G, Vrettos AS, Papadatos D, Alexiou C. The Effect of Spontaneous and Induced Abortion on Prematurity and Birthweight. *The J Obstetrics and Gynaecology of the British Commonwealth.* May 1973;80:418-422.

+11 Bogнар Z, Czeizel A. Mortality and Morbidity Associated with Legal Abortions in Hungary, 1960-1973. *AJPH* 1976;66:568-575.

12 Grindel B, Lubinski H, Voigt M. Induced abortion in primigravidae and subsequent pregnancy, with particular attention of underweight. *Zentralbl Gynaekol* 1979;101:1009-1114.

+13 Obel E, et al. Pregnancy Complications Following Legally Induced Abortion With Special Reference to Abortion Technique. *Acta Obstet Gynecol Scand* 1979;58:147-152.

14 World Health Organization Task Force on the Sequelae of Abortion. Gestation, birthweight and spontaneous abortion. *Lancet* 1979;1:142-145.

15 Ratten G et al. Effect of Abortion on Maturity of Subsequent Pregnancy. *Med J Australia* June 1979: 479-480.

16 Roht LH, Aoyama H, Leinen GE, et al. The association of multiple induced abortions with subsequent prematurity and spontaneous abortion. *Acta Obstet Gynaecol Jpn* 1976;23:140-145.

17 Harlap S, Davies AM. Late sequelae of induced abortion: Complications and Outcome of Pregnancy and Labor. *Amer J Epidemiology* 1975;102:219-224.

18 Koller O, Eikhom SN. Late Sequelae of Induced Abortion in Primigravidae. *Acta Obstet Gynecol Scand* 1977;56:311-317.

19 Lean TH, Hogue CJR, Wood J. Low birth weight after induced abortion in Singapore, Presented at the 105th Annual Meeting of the American Public Health Association, Washington DC, Oct. 31, 1977.

20 World Health Organization. Special Programme of Research, Development and Research Training in Human Reproduction: Seventh Annual Report, Geneva, Nov. 1978.

21 Hungarian Central Statistical Office. Perinatalishalazons. Budapest: Hungarian Central Statistical Office, 1972.

22 Czeizel A, Bogнар Z, Tusnady G, et al. Changes in mean birth weight and proportion of low-weight births in Hungary. *Br J Prev Soc Med* 1970;24:146-153.

23 Dziewulska W. Abortion in the past versus the fate of the subsequent pregnancy. State of the newborn. *Ginekol Pol* 1973;44:1143-1148 [Poland].

24 Kaminski M, Goujard J, Rumeau-Roquette. Prediction of low birthweight and prematurity by a multiple regression analysis with maternal characteristics known since the beginning of the pregnancy. *Intl J Epidem* 1973;2:195-204

25 Chabada J, Pontuch A, Sutta I, Pohlova G. Interruptions of gravidity as a cause of premature labour *Cesk Gynekol* 1974;49(5):329-330

26 Fredrick J. Antenatal identification of women at high risk of spontaneous preterm birth. *BJOG* 1976;83:351-354

27 Pohanka O, Balogh B, Rutkovszky M. The impact of abortion on the birth weight of newborns. *Orb Hetil* 1975;116:1983-1989

28 Mikolas M. The effect of the legalization of abortion on public health and some of its social concomitants in Hungary. *Demografia* 1973;16:70-113

29 Link M, Wichmann A. Pregnancy in adolescents. *Zentrabl Gynekol* 1976;98(11):682-689

30 Knarre P. Influence of abortions and interruptions of pregnancy in subsequent deliveries. II Cause of labor. *Zentrabl Gynekol* 1976;98(10):591-594

31 Kreiblich H, Ehring E. *Zentralfl Gynokol* 1978;100(19):1254-1260

32 Macku F, Rokytova V, Titmann O. Artificial Interruption of Pregnancy in Primigravidae as a risk factor in future pregnancies. *Cesk Gynekol* 1978;43(5):340-343

33 Zwahr C, Coigt M, Kunz L, Thielemann F, Lubinski H. Multidimensional investigations to elucidate relationships between case histories of interrupted pregnancies and premature deliveries and low birth weight. *Zentrabl Gynekol* 1979;101(23):1502-1509

1980s

34 Zwahr C, Voigt M, Kunz L, et al. Relationships between interruption abortion, and premature birth and low birth weight.

Zentrabl Gynaekol 1980;102:738-747.

35 Kreibich H, Ludwig A. Early and late complications of abortion in juvenile primigravidae (including recommended measures). Z Aerztl Fortbild (Jena) 1980;74:311-316.

!!+36 Levin A, Schoenbaum S, Monson R, Stubblefield P, Ryan K. Association of Abortion With Subsequent Pregnancy Loss. JAMA 1980;243(24):2495-2499

37 Legrillo V, Quickenton P, Therriault GD, et al. Effect of induced abortion on subsequent reproductive function. Final report to NICHD. Albany, NY: New York State Health Department, 1980.

38 Slater PE, Davies AM, Harlap S. The Effect of Abortion Method on the Outcome of Subsequent Pregnancy. J Reprod Med 1981;28:123-128.

39 Lerner RC, Varma AO. Prospective study of the outcome of pregnancy subsequent to previous induced abortion. Final report, Contract no. (N01-HD-62803). New York: Downstate Medical Center, SUNY, January 1981.

+40 Berkowitz GS. An Epidemiologic Study of Preterm Delivery. American J Epidemiology 1981;113:81-92.

41 Lampe LG, Ratar I, Bernard PP, et al. Effects of smoking and of induced abortion on pregnancy outcome. IPPF Med Bull 1981;15:3

42 Schoenbaum LS, Monson RR. No association between coffee consumption and adverse outcomes of pregnancy. N Engl J Med 1982;306:141-145

43 Pompe-Tansek NM, Andolsek L, Tekovic B. Jugosl Ginekol Opstet Sept.-Dec. 1982;22(5-6):118-120

+44 Puyenbroek J, Stolte L. The relationship between spontaneous and induced abortions and the occurrence of second-trimester abortion in subsequent pregnancies. Eur J Obstet Gynecol Reprod Biol 1983;14:299-309 [this is the only study in this entire list that uses second-trimester miscarriage as a surrogate for PTB risk].

45 Zwahr C, Voigt M. The effect of various parameters on the incidence of premature births. Zentralbl Gynakol 1983;105:1307-1312

46 Schuler D, Klinger A. Causes of low birth weight in Hungary. *Acta Paediatrica Hungarica* 1984;24:173-185

47 Pickering RM, Forbes J. Risk of preterm delivery and small-for-gestational age infants following abortion: a population study. *British J Obstetrics and Gynecology* 1985;92:1106-1112.

!!+48 Lumley J. Very low birth-weight (less than 1500g) and previous induced abortion: Victoria 1982-1983. *Aust NZ J Obstet Gynecol* 1986;26:268-272.

+49 Shiono PH, Lebanoff MA. Ethnic Differences and Very Preterm Delivery. *Am J Public Health* 1986;76:1317-1321.

50 Peterlin A, Ardolsek L. The effect of induced abortion in adolescence on the manifestations of spontaneous abortion, premature abortion, and birth weight. *Jugosl Ginekol Perinatol* May-Aug 1986;26(3-4):49-52

51 Ross MG, Hobel CJ, Bragenier JR, Bear MB, Bemis RL. A simplified risk-scoring system for prematurity. *Amer J Perinatology* 1986;3:339-344

52 Lieberman E, Ryan KJ, Monson RR, Schoenbaum SC. Risk Factors Accounting For Racial Differences in the rate of premature birth. *NEJM* 1987;317:743-748.

53 Seidman DS, Ever-Hadani P, Slater PE, Harlap S, et al. Child-bearing after induced abortion: reassessment of risk. *J Epidemiology Community Health* 1988;42:294-298.

54 Zwahr, C, Neubert D,, Triebel U, Voight M, Kruppel KH. Correlation between some environmental, anamnestic and social markers of pregnant patients and the delivery of autotrophic premature and hypotrophic newborn infants. *Zentralbl Gynakol* 1988;110:479-487

!! +55 Mueller-Heubach E, Guzick DS. Evaluation of risk scoring in a preterm birth prevention study of indigent patients. *Am J Obstetrics & Gyn* 1989;160:829-837.

1990s

+56 Vasso L-K, Chryssa T-B, Golding J. Previous obstetric history and subsequent preterm delivery in Greece. *European J Obstetrics & Gynecology Reproductive Biology* 1990;37:

99-109.

57 Li YJ, Zhou YS. study of factors associated with preterm delivery. Zhonghua Liu Xing Bing Xue Za Chi. Aug 1990;11(4):229-234

58 Haper JH, Hsing AW, Tuomala RE, Gibbs RS, et al. Risk factors for preterm premature rupture of fetal membranes: A multicenter case-control study. Am J Obstet Gynecol 1990;163:130-137

59 McGregor JA, French J, Richter R. Antenatal microbiologic and maternal risk factors associated with prematurity. Amer J Obstet Gynecol 1990;163:1465-1473

60 Pickering RM, Deeks JJ. Risks of Delivery during 20th to the 36th Week of Gestation. Intl. J Epidemiology 1991;20:456-466.

!!+61*Zhang J, Savitz DA. Preterm Birth Subtypes among Blacks and Whites. Epidemiology 1992;3:428-433.

62*Michielutte R, Ernest JM, Moore ML, Meis PJ, Sharp PC, Wells HB, Buescher PA. A Comparison of Risk Assessment Models for Term and Preterm Low Birthweight. Preventive Medicine 1992;21:98-109.

63 Gong JH. Preterm delivery and its risk factors. Zhounghua Fu Chan Ke Za Chi Jan. 1992;27(1):22-24

64 Mandelson MT, Maden CP, Daling JR. Low Birth Weight in Relation Multiple Induced Abortions. Am J Public Health 1992;82:391-394

!!+65 Lumley J. The epidemiology of preterm birth. Bailliere's Clin Obstet Gynecology. 1993;7(3):477-498

!!66 Algert C, Roberts C, Adelson P, Frammer M. Low birth weight in New South Wales, 1987: a Population-Based Study. Aust New Zealand J Obstet Gynaecol 1993;33:243-248

67 Ekwo EE, Grusslink CA, Moawad A. Previous pregnancy outcomes and subsequent risk of premature rupture of amniotic sac membranes. Brit J Obstet Gynecol 1993;100(6):536-541

68 Lekea-Karanika V, Tzoumaka-Bangoula C. Past obstetric history of the mother and its association with low birth weight of a subsequent child: a population-based study. Paediatr Perinat Epidemiol 1994;8:173-187

69 Guinn D, Goldenberg RL, Hauth JC, Andrews WA et al. Risk factors for the development of preterm premature rupture of membranes after arrest of preterm labor. *AJOG* 1995;173(4):1310-1315.

70 *Hillier SL, Nugent RP, Eschenbach DA, Krohn MA, et al. Association Between Bacterial Vaginosis And Preterm Delivery Of A Low-Birth-Weight Infant. *NEJM* 1995;333:1737-1742.

71 Khalil AK, El-Amrawy SM, Ibrahim AG, et al. Pattern of growth and development of premature children at the age of two and three years in Alexandria, Egypt. *Eastern Mediterranean Health Journal* 1995;1(2):186-193.

72 Meis PJ, Michielutte R, Peters TJ, Wells HB. Factors associated with preterm birth in Cardiff, Wales. *Amer J Obstet Gynecol* 1995;173:590-596

+73 Lang JM, Lieberman E, Cohen A. A Comparison of Risk Factors for Preterm Labor and Term Small-for-Gestational-Age Birth. *Epidemiology* 1996;7:369-376.

*74 Hagan R, Benninger H, Chiffings D, Evans S, French H. Very preterm birth - a regional study. Part 1: Maternal and obstetric factors. *BJOG* 1996;103:230-238

75 Chie-Pein Chen, Kuo-Gon Wang, Yuh-Cheng Yang, Lai-Chu See. Risk factors for preterm birth in an upper middle class Chinese population. *Eur J Obstet Gynecol Reprod Bio* 1996;70(1):53-59

76 Jacobsen G, Schei B, Bakketeig LS. Prepregnant reproductive risk and subsequent birth outcome among Scandinavian parous women. *Norsk Epidemiol* 1997;7(1):33-39

!!+77 Lumley J. The association between prior spontaneous abortion, prior induced abortion and preterm birth in first singleton births. *Prenat Neonat Med* 1998;3:21-24.

!!+78 Martius JA, Steck T, Oehler MK, Wulf K-H. Risk factors associated with preterm (<37+0 weeks) and early preterm (<32+0 weeks): univariate and multi-variate analysis of 106 345 singleton births from 1994 statewide perinatal survey of Bavaria. *European J Obstetrics & Gynecology Reproductive Biology* 1998;80:183-189.

79 Small Babies in Scotland A Ten Year Overview 1987-1996. Information and Statistics Division. The National Health Service in Scotland. Scottish Program for Clinical Effectiveness. Edinburgh 1998 ISBN 1-902076-07-9.

80 Lee KS, Lee WC, Meng KH, Lee Ch, Kim SP. Maternal Factors Associated with the Premature Rupture of Membrane in the Low Birth Weight Infant Deliveries. Korean J Prev Med 1998;21(2): 207-216

!!+81 Ancel PY, Saurel-Cubizolles M-J, Renzo GCD, Papiernik E, Breart G. Very and moderate preterm births: are the risk factors different? British J Obstetrics and Gynaecology 1999;106:1162-1170.

!!+82 Zhou W, Sorenson HT, Olsen J. Induced Abortion and Subsequent Pregnancy Duration. Obstetrics & Gynecology 1999;94:948-953.

83 Ancel PY, Saurel-Cubizolles, Di Renzo GC, Papiernik E, Breart G. Social Differences of very preterm birth in Europe: interaction with obstetric history. American J Epi 1999;149(10):908-915.

2000-2007

84 Foix-L'Helias L, Ancel PY, Blondel B. Changes in risk factors of preterm delivery in France between 1981 and 1995. Paediatric and Perinatal Epidemiology. Oct 2000;14(4): 314-323.

85 Foix-L'Helias L, Ancel, Blondel B. Risk factors for prematurity in France and comparisons between spontaneous prematurity and induced labor; results from the National Perinatal Survey 1995. J Gy necol Obstet Bio Reprod (Paris) Feb 2000;29(1);55-65

*86 Gardosi J, Francis A. Early Pregnancy predictors of preterm birth: the role of a prolonged menstruation-conception interval. BJOG 2000;107(2):228-237

87 Bettiol H, Rona RJ, Chin S, Goldani M, Barberi M. Risk Factors Associated with preterm births in Southeast Brazil: a comparison of two birth cohorts born 15 years apart. Paediatric Perinatal Epidemiol 2000;14(1):30-38

88 Letamo G, Majelantle RG. Factors Influencing Low Birth Weight

and Prematurity in Botswana. *J Biosoc Sci* 2001;33(3):391-403

89 Henriet L, Kaminski M. Impact of induced abortions on subsequent pregnancy outcome: the 1995 French national perinatal survey. *BJOG* 2001;108(10):1036-1042

90 Grimmer I, Buhner C, Dudenhausen JW. Preconceptional factors associated with very low birth weight delivery: a case control study. *BMC Public Health* 2002; 2:10 [Germany].

91 Balaka B, Boeta S, Aghere AD, Boko K, Kessie K, Assimadi K. Risk factors associated with prematurity at the University of Lme, Togo. *Bull Soc Pathol Exot* Nov 2002;95(4):280-283

92 Han WH, Chen LM, Li CY. Incidences of and Predictors for Preterm Births and Low Birth Weight Infants in Taiwan. *Chinese Electronic Periodical Services* 2003:131-141

93 El-Bastawissi AY, Sorensen TK, Akafomo CK, Frederick IO, Xiao R, Williams MA. History of Fetal Loss and Other Adverse Pregnancy Outcomes in Relation to Subsequent Risk of Preterm Delivery. *Maternal Child Health J* 2003;7(1):53-58

94 Reime B, Schuecking BA, Wenzlaff P. Perinatal outcomes of teenage pregnancies according to gravidity and obstetric history. *Annals of Epidemiology* 2004;14(8):619-619 [German subjects]

http://www.sciencedirect.com/science?_ob=3DGatewayURL&_method=3DcitationSearch&_uokey=3DB6T44-4D8V8F5-2R&_origin=3DSDEMFRASCII&_version=3D1&md5=3De73601c4adf512cbb49d79b556183ab7

!!+95 Ancel PY, Lelong N, Papiernik E, Saurel-Cubizolles MJ, Kaminski M. History of induced abortion as a risk factor for preterm birth in European countries: results of EUROPOP survey. *Human Repro* 2004; 19(3): 734-740.

96 Umeora OIJ, Ande ABA, Onuh SO, Okubor PO, Mbazor JO. Incidence and risk factors for preterm delivery in a tertiary health institution in Nigeria. *J Obstetrics Gynaecology* Nov. 2004; 24(8):895-896

!!+97 Moreau C, Kaminski M, Ancel PY, Bouyer J, et al. Previous induced abortions and the risk of very preterm delivery: results of the EPIPAGE study. *British J Obstetrics Gynaecology* 2005;112(4):430-437 [France]

[abstract online: www.blackwell-synergy.com/links/doi/10.1111/j.1471-0528.2004.00478.x/abs/]

98 Conde-Agudelo A, Belizan JM, Breman R, Brockman SC, Rosas-Bermudez. Effect of the interpregnancy interval after an abortion on maternal and perinatal health in Latin America. *Int J Gynaecol & Obstet* 2005;89 (Supp. 1):S34-S40.

99 Stang P, Hammond AO, Bauman P. Induced Abortion Increases the Risk of Very Preterm Delivery; Results from a Large Perinatal Database. *Fertility Sterility* Sept 2005;S159

100 Etuk SJ, Etuk IS, Oyo-Ita AE. Factors Influencing the Incidence of Pre-term Birth in Calabar, Nigeria. *Nigerian J Physiological Sciences* 2005;20(1-2):63-68

101 Poikkens P, Unkila-Kallio L, Vilska S, Repokari L. et al. Impact of Infertility Characteristics and treatment modalities on singleton pregnancies after assisted reproduction. *Reproductive Tiomed* July 2006;13(1):135-144

102 Samin A, Al-Dabbagh, Wafa Y Al-Tae. Pregnancy and Childbirth. *BMC* 2006;6:13

103 Smith GCS, Shah I, White IR, Pell JP, Crossley JA, Dobbie R. Maternal and biochemical predictors of spontaneous preterm birth among nulliparous women: a systematic analysis in relation to degree of prematurity. *Intl J Epidem* 2006;35(5):1169-1177

104 Briunsma F, Lemley J, Tan J, Quinn M. Precancerous changes in the cervix and risk of subsequent preterm birth. *BJOG* Jan. 2007;114(1):70-80

105 Jackson JE, Grobman WA, Haney E, Casele H. Mid-trimester dilation and evacuation with laminaria does not increase the risk for severe subsequent pregnancy complications. *Intl J Gynecol Obstet* 2007;96:12-15

106 Chung-Chin Lo, Jenn-Jeih Hsu, Ching-Chang Hsieh, T'sang-T-sang Hsieh, Tai-Ho Hung. Risk Factors For Spontaneous Preterm Delivery Before 34 Weeks of Gestation Among Taiwanese Women. *Taiwan J Obstet Gynecol* 2007;46(4):389-394

107 Curry AE, Vogel I, Drews C, Schendel D, Skogstrand K, et al. Mid-pregnancy maternal plasma levels of interleukin 2, 6, and 12, tumor necrosis factor-alpha, interferon-gamma, and granulocyte-macrophage

colony-stimulating factor and spontaneous preterm delivery. *Acta Obstetrica et Gynecologica* 2007;86:1103-1110

108* Brown TS, Adera T, Masho SW. Previous abortion and the risk of low birth weight and preterm births. *J Epidemiol Commun Health* 2008;62:16-22

109 Reime B, Schuecking BA, Wenzlaff P. Reproductive Outcomes in Adolescents Who Had a Previous Birth or an Induced Abortion Compared to Adolescents' First Pregnancies. *BMC Pregnancy and Childbirth* 2008;8:4

!!+110 Voigt M, Olbertz D, Fusch C, Krafczyk D, Briese V, Schneider KT. The influence of previous pregnancy terminations, miscarriages, and still-birth on the incidence of babies with low birth weight and premature births as well as somatic classification of newborns. *Z Geburtshilfe Neonatol* 2008;212:5-12

111 Freak-Poli R, Chan A, Gaeme J, Street J. Previous abortion and risk of preterm birth: a population study. *J Maternal-Fetal Med* Jan. 2009; 22(1):1-7

112 Vpoit M, Henrich W, Zygmunt M, Friese K, Straube S, Briese V. Is induced abortion a risk factor in subsequent pregnancy? *Journal Perinatal Medicine* 2009;37:144-149

.....

The following is a significant APB study but is not part of the 'official' list above since it involves predominantly 'illegal' induced abortions:

Okonofus FE, Onwudiegwu U, Odutayo R. Pregnancy outcomes after illegal induced abortions in Nigeria: a retrospective referenced historical study. *Africa J Med Science* 1994;23:165-169

* studies that included spontaneous and induced abortions (SIA) but did not report PTB/LBW risk separately for each

+ studies that found dose/response (the more SIAs, the higher the risk)

!! Significant Abortion/VPB (Very Preterm Birth) and/or Abortion/VLBW (Very Low Birth Weight)